Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2891	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and memory with array\$1 with block\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:17
L2	2342	I1 and (control\$4 with circuit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:14
L3	2161	l2 and (control\$4 with signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:14
L4	50	I3 and (nine with memory with array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:15
L 5	46	l4 and input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:16
L6	1928	l3 and input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:16
L7	127	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and memory with array\$1 with block\$1 same (control\$4 with circuit) same (control\$4 with signal\$1) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:18
L8	127	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and (memory with array\$1 with block\$1) same (control\$4 with circuit) same (control\$4 with signal\$1) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:19
L9	113	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and (memory with array\$1 with block\$1) same (control with circuit) same (control with signal\$1) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:21

						
L10	102	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and (memory with array\$1 with block\$1) same (control with circuit) same (control with signal) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:21
L11	100	365/230.03,230.06,52,63,51,185. 11.ccls. and (memory with array\$1 with block\$1) same (control with circuit) same (control with signal) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:22
L12	68	365/230.03,230.06,52,63,51,185. 11.ccls. and (memory with array with block) same (control with circuit) same (control with signal) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:23
L13	1	365/230.03,230.06,52,63,51,185. 11.ccls. and (memory with array with block) same (three with row\$1) same (three with column) same (control with circuit) same (control with signal) same input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:23
L14	66	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and (memory with array with block) and (three with row\$1) and (three with column) and (control with circuit) and (control with signal) and input same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:31
L15	3	365/230.03,230.06,230.01,52,63,51,185.11.ccls. and (memory with array with block) same (three with row\$1) same(three with column) and (control with circuit) and (control with signal) and input same output ("5642323" "5793686" "5812490").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; US-PGPUB; USPAT; USOCR	OR OR	OFF OFF	2004/12/01 12:28
L18	3	365/230.03,230.06,230.01,52,63, 51,185.11.ccls. and (memory with array with block) same (three with row\$1) same(three with column) and (control with circuit) and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:38
L20	4	(control with signal) ("4899308" "5877780" "5883814" "6230235").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 12:38
L22	4	("4899308" "5877780" "5883814" "6230235").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 12:39

S1	30	"365"/\$.ccls. and (memory with array\$1) and (three adj row\$1) and (three adj column\$1) and (control with circuit) and (input and output) and (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/31 15:21
S2	83		ÜSPAT	OR	OFF	2004/10/31 15:03
S3	2	"4796224" "4811202" "4818985" "4833651" "4837682" "4860198" "4899316" "4933835" "4975763" "4999814" "5023488" "5179670" "5319755").PN.	USPAT	OR	OFF	2004/10/31 15:13

S6	2	memory same (three adj row\$1) same (three adj column\$1) same (control with circuit) same (input and output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/31 15:23
S7	8	("5640362" "5642323" "5657265" "5666322" "5812490" "5894448" "5943285" "6037813").PN.	USPAT	OR	OFF	2004/10/31 15:25
S8	282	365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1) and ((MDL or (data adj line\$1)) or (multiple\$1 with nine with bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 12:11
S9	656	365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 13:39
S10	373	365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 13:40
S11	106	(365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:36
S12	1	(((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))) and sa same activat\$4 same arrays	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 13:42
S13	81	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:02

S14	31	//365/330 03 63 51 195 11 colo	LIC DCDLID:	OR	OFF	2004/06/12 12:50
317	31	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with bit\$1)) and activat\$3 and block\$1 and segment\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OK	OFF	2004/06/12 12:50
S15	282	365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:13
S16	53	(365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))) and (array\$1 with block\$1 and segment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:14
S17	321	"53" and (multiples near3 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:15
S18	53	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))) and (array\$1 with block\$1 and segment\$1)) and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:15
S19	44	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))) and (array\$1 with block\$1 and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/11 14:16
		segment\$1)) and (number with bit\$1)				
S20	977	array\$1 same block\$1 same segment\$1 and ((control\$4 with signal) or (SA and WD)) and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 12:54

S21	113	365/230.03,63,51,185.11.ccls. and array\$1 same block\$1 same segment\$1 and ((control\$4 with signal) or (SA and WD)) and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 12:56
\$22	58	365/230.03,63,51,185.11.ccls. and array\$1 with block\$1 with segment\$1 and ((control\$4 with signal) or (SA and WD)) and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 12:56
S23	83	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:06
S24	31	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (control\$4 with signal) same (((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:07
S25	81	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:32
S26	3	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3 and (three with column) and (three with row)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:24
S27	579	365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and row and column	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 13:30

S28	490	(365/230.03,63,51,185.11.ccls.	US-PGPUB;	OR	OFF	2004/06/12 13:33
		and (array\$1 with even) and (array\$1 with block\$1) and row	USPAT; EPO; JPO;			
		and column) and ((control\$4 with signal) or (SA or (sense adj	DERWENT; IBM_TDB			
		amplifier) same (WD or (write adj driver))))				
S29	227	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and	US-PGPUB; USPAT;	OR	OFF	2004/06/12 13:35
		(array\$1 with block\$1) and row and column) and ((control\$4 with	EPO; JPO; DERWENT;			
		signal) or (SA or (sense adj amplifier) same (WD or (write adj	IBM_TDB			
		driver))))) and (MDL or (data adj line\$1)) and bit\$1 and activat\$3				
S30	3	((365/230.03,63,51,185.11.ccls.	US-PGPUB;	OR	OFF	2004/06/12 13:35
		and (array\$1 with even) and (array\$1 with block\$1) and row	USPAT; EPO; JPO;			
		and column) and ((control\$4 with signal) or (SA or (sense adj amplifier) same (WD or (write adj	DERWENT; IBM_TDB			
		driver))))) and (MDL or (data adj line\$1)) and bit\$1 and activat\$3				
		and (quantity with bit\$1)				
S31	20	(365/230.03,63,51,185.11.ccls. and (array\$1 with even) and	US-PGPUB; USPAT;	OR	OFF	2004/06/12 13:40
		(array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls.	EPO; JPO; DERWENT;			
		and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))	IBM_TDB			
S32	3	and (nine with bit\$1) 365/230.03,63,51,185.11.ccls. and	US-PGPUB;	OR	OFF	2004/06/12 13:43
		(array\$1 or simiconductor) with ("input/output" with configuration)	USPAT; EPO; JPO;		011	200 1/00/12 13.13
		and (nine with bit\$1)	DERWENT; IBM_TDB			
S33	37	365/230.03,63,51,185.11.ccls. and (array\$1 with block\$1) and	US-PGPUB; USPAT;	OR	OFF	2004/06/12 13:49
		segment\$1 and (control\$4 or (SA and WD)) and (nine with bit\$1)	EPO; JPO; DERWENT;			
			IBM_TDB			
S34	10	365/230.03,63,51,185.11.ccls. and (array\$1 with block\$1) with	US-PGPUB; USPAT;	OR	OFF	2004/06/12 13:53
		segment\$1 and (control\$4 or (SA and WD)) and (nine with bit\$1)	EPO; JPO; DERWENT; IBM_TDB			
S35	21	"365"/\$.ccls. and (array\$1 with block\$1) with segment\$1 and	US-PGPUB; USPAT;	OR	OFF	2004/06/12 13:55
		(control\$4 or (SA and WD)) and (nine with bit\$1)	EPO; JPO; DERWENT;			
		(IIIIC WICH DICP1):	IBM_TDB			

S36	2	array\$1 and block\$1 and segment\$1 and (SA and WD) and (nine with bit\$1) and input and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:00
S37	1	array\$1 same block\$1 same segment\$1 and (SA and WD) and (nine with bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:02
S38	15	array\$1 and block\$1 and (segment\$1 or section) and (SA and WD) and (nine with bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:05
S39	653	array\$1 and block\$1 and (segment\$1 or section) and (SA or (sense with amplifier\$1)) and (nine with bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:05
S40	56	array\$1 same block\$1 same (segment\$1 or section) and ((SA and WD) or ((sense with amplifier\$1) and (write with driver))) and (nine with bit\$1) and (MDL or (data with line\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:07
S41	40	"365"/\$.ccls. and array\$1 same block\$1 same (segment\$1 or section) and ((SA and WD) or ((sense with amplifier\$1) and (write with driver))) and (nine with bit\$1) and (MDL or (data with line\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:36
S42	19	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3 and (nine with bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:35
S43	81	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and control\$4 and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	.2004/06/12 14:36

S44	40	"365"/\$.ccls. and array\$1 same block\$1 same (segment\$1 or section) and ((SA and WD) or ((sense with amplifier\$1) and (write with driver))) and (nine with bit\$1) and (MDL or (data with line\$1)) AND input and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:37
S45	21	365/230.03,63,51,185.11.ccls. and array\$1 same block\$1 same (segment\$1 or section) and ((SA and WD) or ((sense with amplifier\$1) and (write with driver))) and (nine with bit\$1) and (MDL or (data with line\$1)) and input and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/12 14:39
S46	53388	(nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:04
S47	2176	(control with circuit) same (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:06
S48	1258	(control with circuit) same (input or output) same (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:07
S49	27	365/230.03,206,207,185.03,185. 11.ccls. and (control with circuit) same (input and output) same ((nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:23
S50	103	"365"/\$.ccls. and (control with circuit) same (input and output) same (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:37
S51	13	"365"/\$.ccls. and (memory with array\$1) same (memory with block\$1) same (control with circuit) same (input and output) same (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:37

S52	30	"365"/\$.ccls. and (memory with array\$1) and (three adj row\$1) and (three adj column\$1) and (control with circuit) and (input and output) and (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:42
S53	2	365/230.03,206,207,185.03,185. 11.ccls. and (memory with array\$1) and (three adj row\$1) and (three adj column\$1) and (control with circuit) and (input and output) and (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/31 14:58
S54	2	(memory with array\$1) same (three adj row\$1) same (three adj column\$1) and (control with circuit) and (input and output) and (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:49
S55	2	("5065364" "5095461").PN.	USPAT	OR	OFF	2004/08/04 12:49
S56	78	kobayashi.in. and 365/230.03,63, 51,185.11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:50
S57	145	kobayashi.in. and 365/230.03,63, 51,185.11,200,201,230.06,51.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:51
S58	8	kobayashi.in. and 365/230.03,63, 51,185.11,200,201,230.06,51.ccls. and (three with row\$1) same (three with column\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 12:52
S59	47	365/230.03,63,51,185.11.ccls. and array\$1 and block\$1 and segment\$1 and (control\$4 or (SA and WD)) and (nine with bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 13:17
S60	55	(memory with array\$1) and (three adj row\$1) and (three adj column\$1) and (control with circuit) and (input and output) and (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 13:24

S61	3	"6,700,814".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 08:25
S62	2	"5,943285".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	OFF	2004/11/30 08:44
S63	2	"5,914907".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 08:45
S64	3	("5642323" "5793686" "5812490").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/30 08:50